



DRY 'N GO



GinSan[®]
INDUSTRIES








Dry N' Go System

Premium Touchless Drying for Self-Service Bays

Elevate your self-service bay with the Dry N' Go System—engineered for durability, performance, and an exceptional customer experience. Designed to boost bay usage, protect vehicle finishes, and deliver fast ROI, this system delivers professional-grade drying power in a compact, user-friendly package.

System Includes

- Stainless-steel in-bay or attic-mount base plate with reinforced mounting
- Three high-performance 120v/240v Hi-Flow motors (pre-wired and factory tested)
- Integrated motor contactor assembly
- Illuminated poly dome assemblies (available in Red, Blue, Green, or Yellow)
- 2" x 15' hose assembly color options: Red, Blue, Gray, Black, Yellow)
- 70" stainless-steel 180° wall-mounted boom with heavy-duty reinforced bracket
- GinSan Dry N' Go air nozzle assembly
- Stainless-steel in-bay tool holder
- Meter panel function insert decal
- Optional 16" x 23" Dry N' Go instructional bay sign



Key Benefits

- Touchlessly dries vehicles, motorcycles, and floor mats directly in the bay
- Increases bay engagement and encourages longer customer use
- Eliminates the risk of towel-induced scratching and swirl marks
- One of the top revenue-generating add-ons for self-service bays
- Delivers a fast and measurable return on investment

Electrical Requirements

- 120v system: 1-phase / 30-amp circuit (Motor: 91.5 CFM each)
- 240v system: 1-phase / 20-amp circuit (Motor: 97.8 CFM each)

GinSan
INDUSTRIES

800.968.8227
www.ginsan-ivs.com